

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of claims:

1. (Currently Amended) A patch comprising a backing layer and an adhesive layer disposed on the backing layer,

the adhesive layer consisting of

an adhesive agent;

oxybutynin ~~oxybutin~~ and/or a pharmaceutically acceptable salt thereof;

[[a]] one or more pharmaceutically acceptable excipient selected from the group consisting of an organic acid, a skin permeation enhancer, an absorption enhancer, a plasticizer, a tackifier, an antioxidant, a filler and an ultraviolet absorber;

1-5% by weight of a 2-ethylhexyl acrylate-vinyl acetate copolymer based on the total weight of the adhesive agent, the 2-ethylhexyl acrylate-vinyl acetate copolymer being substantially free of both carboxyl groups and hydroxyl groups in the molecule; and

10-25% by weight of a styrene-isoprene-styrene block copolymer based on the total weight of the adhesive agent,

wherein the weight ratio of the 2-ethylhexyl acrylate-vinyl acetate copolymer to the styrene-isoprene-styrene block copolymer is from 1:4 to 1:19.

2. (Currently Amended) A patch comprising a backing layer and an adhesive layer disposed on the backing layer,

the adhesive layer consisting of

an adhesive agent;

oxybutynin ~~Oxybutin~~ and/or a pharmaceutically acceptable salt thereof;

[[a]] one or more pharmaceutically acceptable excipient selected from the group consisting of an organic acid, a skin permeation enhancer, an absorption enhancer, a plasticizer, a tackifier, an antioxidant, a filler and an ultraviolet absorber;

1-5% by weight of a 2-ethylhexyl acrylate-vinyl acetate copolymer based on the total weight of the adhesive agent, the 2-ethylhexyl acrylate-vinyl acetate copolymer being substantially free of both carboxyl groups and hydroxyl groups in the molecule; and

10-25% by weight of a styrene-isoprene-styrene block copolymer based on the total weight of the adhesive agent,

wherein the weight ratio of the 2-ethylhexyl acrylate-vinyl acetate copolymer to the styrene-isoprene-styrene block copolymer is from 1:4 to 1:19, and

10-60% by weight of an alicyclic saturated hydrocarbon resin based tackifier, based on the total weight of the compound contained in the adhesive layer.

3. (Previously Presented) The patch according to claim 2, wherein weight ratio of the 2-ethylhexyl acrylate-vinyl acetate copolymer to the tackifier is from 1:1 to 1:3.

4-7. (Canceled)

8. (Previously presented) The patch according to claim 1, wherein the adhesive layer is compounded with oxybutynin hydrochloride.
9. (Canceled)
10. (Previously presented) The patch according to claim 1, wherein the organic acid is at least one selected from the group consisting of acetic acid, citric acid and salts thereof.